L Number	Hits	Search Text	DB	Time stamp
-	131056	((key ((key\$3 access\$3 magneti\$3)near3 card) card)) same	USPAT;	2004/03/31 12:35
		((lock (card near5 (read\$3 swip\$4 scan\$4))))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	ļ		IBM_TDB	
-	32604	((key ((key\$3 access\$3 magneti\$3)near3 card) card)) same	USPAT;	2004/03/31 14:00
		((lock (card near5 (read\$3 swip\$4 scan\$4)))) same (mem	US-PGPUB;	
		(memory (control\$3 near3 unit) storage))	EPO; JPO;	
			DERWENT;	
	4040000	and a sign of the	IBM_TDB	0004/00/04 40 40
•	1916288	authent\$6 verif\$6 ident\$6 author\$7	USPAT;	2004/03/31 12:43
			US-PGPUB; EPO; JPO;	
			DERWENT:	
			IBM_TDB	
_	710	713/168.ccls.	USPAT;	2004/03/31 12:43
-	''	110/100.0013.	US-PGPUB	2004/00/01 12.40
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	391	713/155.ccls.	USPAT;	2004/03/31 12:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	152	713/161.ccls.	USPAT;	2004/03/31 13:00
			US-PGPUB;	
			EPO; JPO;	
		,	DERWENT;   IBM_TDB	
j	36668	70/\$.ccls.	USPAT;	2004/03/31 13:00
1	30008	7 0/\$.ccis.	US-PGPUB;	2004/03/31 13:00
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
-	5305	109/\$.ccls.	USPĀT;	2004/03/31 13:01
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	14538	((key ((key\$3 access\$3 magneti\$3)near3 card) card)) same	USPAT;	2004/03/31 13:47
		((lock (card near5 (read\$3 swip\$4 scan\$4)))) near4 (mem	US-PGPUB;	
		(memory (control\$3 near3 unit) storage))	EPO; JPO; DERWENT;	
			DERWENT;   IBM_TDB	
	13508	((key ((key\$3 access\$3 magneti\$3)near3 card) card)) same	USPAT;	2004/03/31 14:10
	15565	((lock (card near5 (read\$3 swip\$4 scan\$4)))) near4 (mem	US-PGPUB;	2004/00/01 14.10
		(memory storage))	EPO; JPO;	
		,, <del></del>	DERWENT:	
			IBM_TDB	
-	6642	(authent\$6 verif\$6 ident\$6 author\$7) and (((key ((key\$3	USPAT;	2004/03/31 13:48
		access\$3 magneti\$3)near3 card) card)) same ((lock (card	US-PGPUB;	
		near5 (read\$3 swip\$4 scan\$4)))) near4 (mem (memory	EPO; JPO;	
		storage)))	DERWENT;	
			IBM_TDB	
-	185		USPAT;	2004/03/31 13:48
		access\$3 magneti\$3)near3 card) card)) same ((lock (card	US-PGPUB;	
		near5 (read\$3 swip\$4 scan\$4)))) near4 (mem (memory storage)))) and 70/\$.ccls.	EPO; JPO;   DERWENT;	
		atorage)))) and 70/4.0015.	IBM_TDB	
	<u> </u>		I IDINI I DR	

		_
		4

				0004/0040
-	151	((((authent\$6 verif\$6 ident\$6 author\$7) and (((key ((key\$3	USPAT;	2004/03/31 13:53
İ		access\$3 magneti\$3)near3 card) card)) same ((lock (card	US-PGPUB;	
		near5 (read\$3 swip\$4 scan\$4)))) near4 (mem (memory	EPO; JPO;	
	į	storage)))) and 713/168.ccls.) (((authent\$6 verif\$6 ident\$6	DERWENT;	
ļ		author\$7) and (((key ((key\$3 access\$3 magneti\$3)near3 card)	IBM_TDB	
		card)) same ((lock (card near5 (read\$3 swip\$4 scan\$4))))		
ŀ		near4 (mem (memory storage)))) and 713/155.ccls.)		
		(((authent\$6 verif\$6 ident\$6 author\$7) and (((key ((key\$3		
		access\$3 magneti\$3)near3 card) card)) same ((lock (card		
Ì		near5 (read\$3 swip\$4 scan\$4)))) near4 (mem (memory		
		storage)))) and 713/155.ccls.) (((authent\$6 verif\$6 ident\$6		
1			•	
1		author\$7) and (((key ((key\$3 access\$3 magneti\$3)near3 card)		
		card)) same ((lock (card near5 (read\$3 swip\$4 scan\$4))))		
		near4 (mem (memory storage)))) and 70/\$.ccls.) (((authent\$6		
		verif\$6 ident\$6 author\$7) and (((key ((key\$3 access\$3		
		magneti\$3)near3 card) card)) same ((lock (card near5 (read\$3		
		swip\$4 scan\$4)))) near4 (mem (memory storage)))) and		
		109/\$.ccls.)) and @ad <= "19990128"		
-	28	((authent\$6 verif\$6 ident\$6 author\$7) and (((key ((key\$3	USPAT;	2004/03/31 13:54
		access\$3 magneti\$3)near3 card) card)) same ((lock (card	US-PGPUB;	
		near5 (read\$3 swip\$4 scan\$4)))) near4 (mem (memory	EPO; JPO;	
		storage)))) and 713/168.ccls.	DERWENT;	
	[		IBM_TDB	
1_	11	((authent\$6 verif\$6 ident\$6 author\$7) and (((key ((key\$3	USPAT;	2004/03/31 13:59
1	1	access\$3 magneti\$3)near3 card) card)) same ((lock (card	US-PGPUB;	2007/00/01 10:05
	Ì			
		near5 (read\$3 swip\$4 scan\$4)))) near4 (mem (memory	EPO; JPO;	
		storage)))) and 713/155.ccls.	DERWENT;	
	!		IBM_TDB	
-	949	((key ((key\$3 access\$3 magneti\$3)near3 card) card)) same	USPAT;	2004/03/31 14:15
		((lock (card near5 (read\$3 swip\$4 scan\$4)))) near4 ((mem	US-PGPUB;	
1		(memory storage)) with (access\$3 right identity password	EPO; JPO;	
		info))	DERWENT;	
		··	IBM_TDB	
.	3	(((key ((key\$3 access\$3 magneti\$3)near3 card) card)) same	USPAT;	2004/03/31 14:13
		((lock (card near5 (read\$3 swip\$4 scan\$4)))) near4 ((mem	US-PGPUB;	
		(memory storage)) with (access\$3 right identity password	EPO; JPO;	
		info))) and 713/168.ccls.	DERWENT;	
			IBM_TDB	
1_	1	(((key ((key\$3 access\$3 magneti\$3)near3 card) card)) same	USPAT;	2004/03/31 14:13
1	<b>'</b>	((lock (card near5 (read\$3 swip\$4 scan\$4)))) near4 ((mem	US-PGPUB;	200 1700/01 11:10
			EPO; JPO;	
	i	(memory storage)) with (access\$3 right identity password		
		info))) and 713/161.ccls.	DERWENT;	
	! <u>-</u>	/////	IBM_TDB	0004/00/04 44:40
-	5	(((key ((key\$3 access\$3 magneti\$3)near3 card) card)) same	USPAT;	2004/03/31 14:13
1		((lock (card near5 (read\$3 swip\$4 scan\$4)))) near4 ((mem	US-PGPUB;	
		(memory storage)) with (access\$3 right identity password	EPO; JPO;	
		info))) and 109/\$.ccls.	DERWENT;	
			IBM_TDB	
-	56	(((key ((key\$3 access\$3 magneti\$3)near3 card) card)) same	USPAT;	2004/03/31 14:13
1		((lock (card near5 (read\$3 swip\$4 scan\$4)))) near4 ((mem	US-PGPUB;	
		(memory storage)) with (access\$3 right identity password	EPO; JPO;	
1		info))) and 70/\$.ccls.	DERWENT:	
ļ		<i>· · · · · · · · · · · · · · · · · · ·</i>	IBM_TDB	
1_	806	((key ((key\$3 access\$3 magneti\$3)near3 card) card)) same	USPAT;	2004/03/31 14:16
1		((lock (card near5 (read\$3 swip\$4 scan\$4)))) near4 ((mem	US-PGPUB:	
1	I	((memory)) with (access\$3 right identity password info))	EPO; JPO;	
1		(memory)) with (accesses right dentity password into))	DERWENT;	
1	1			
		/// ///	IBM_TDB	0004/00/04 44 40
-	456	(((key ((key\$3 access\$3 magneti\$3)near3 card) card)) same	USPAT;	2004/03/31 14:16
	1	((lock (card near5 (read\$3 swip\$4 scan\$4)))) near4 ((mem	US-PGPUB;	
1	i	(memory)) with (access\$3 right identity password info))) and	EPO; JPO;	
1	1	@ad <= "19990128"	DERWENT;	
			IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
-	63	340/825.29.ccls.	USPAT;	2004/03/15 16:12
			US-PGPUB;	
			EPO; JPO;	
i			DERWENT:	
1			IBM_TDB	
-	4530	(key same lock) same electronic	USPAT;	2004/03/15 16:11
		,,,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	o	340/825.29.ccls. and ((key same lock) same electronic)	USPAT;	2004/03/15 16:11
		(No) came acoustics	US-PGPUB	
			EPO; JPO;	
			DERWENT;	ļ l
	:		IBM_TDB	
l <u>.</u>	45046	key same electronic	USPAT;	2004/03/15 16:11
·	10010	noy same stockers	US-PGPUB;	
			EPO; JPO;	
i			DERWENT;	
			IBM_TDB	
<u> </u>	1	340/825.29.ccls. and (key same electronic)	USPAT;	2004/03/15 16:11
f	'	o 10/020.20.000. and they sume electromey	US-PGPUB;	230 77007 10 10.11
į l			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	535	340/825.ccls.	USPAT;	2004/03/15 16:12
-	555	340/020.ccis.	US-PGPUB;	2004/03/13 10.12
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	7	340/825.ccls. and (key same electronic)	USPAT;	2004/03/15 16:13
-	<b>'</b>	540/025.ccis. and (key same electronic)	US-PGPUB;	2004/00/10 10:10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	3006	mechanical same key same lock	USPAT;	2004/03/15 16:13
-	3000	Inechanical same key same lock	US-PGPUB;	2004/03/13 10.13
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	1452	(mechanical same key same lock) and electronic	USPAT;	2004/03/15 16:13
ļ -	1452	(mechanical same key same lock) and electronic	US-PGPUB;	2004/03/13 10:13
			EPO; JPO;   DERWENT;	
1			IBM TDB	
	651	((mechanical same key same lock) and electronic) and	USPAT;	2004/03/15 16:14
ļ <sup>-</sup>	651	memor\$3	US-PGPUB;	2007/03/13 10:14
		Hiemorgs	EPO; JPO;	
			DERWENT;	
	205064	needed name control®3	IBM_TDB	2004/03/15 16:15
-	295864	access same control\$3	USPAT;	2004/03/15 10:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	252	(annual parts   \$\Parts   \$\Parts	IBM_TDB	2004/02/45 40:45
-	353	(access same control\$3) and (((mechanical same key same	USPAT;	2004/03/15 16:15
		lock) and electronic) and memor\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	<b>5</b> 555.	100	IBM_TDB	0004/0045 40 45
-	50961	encrypt\$3	USPAT;	2004/03/15 16:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	<u> </u>

-	91	((access same control\$3) and (((mechanical same key same	USPAT;	2004/03/15 16:15
		lock) and electronic) and memor\$3)) and encrypt\$3	US-PGPUB;	İ
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM TDB	İ





L Number	Hits		DB	Time stamp
3	582	virus same (delet\$3 eras\$3) same (file data)	USPAT;	2004/04/16 15:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	35	and look and key and //access\$2 access control\$5\	IBM_TDB	2004/04/15 17:20
-	35	secur\$3 and lock and key and ((access\$3 near3 control\$5) same (identi\$5 with recogni\$5)) and memory	USPAT; US-PGPUB;	2004/04/15 17:38
		same (identification with recognification) and memory	EPO; JPO;	
]			DERWENT;	
			IBM_TDB	
-	42	secur\$3 and lock and key and ((access\$3 near3 control\$5)	USPAT;	2004/04/02 19:10
1		same (identi\$5 with recogni\$5))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	054	(1	IBM_TDB	0004/04/00 40:40
-	951	(key near3 (id or identi\$8)) with lock	USPAT;	2004/04/02 19:12
!			US-PGPUB; EPO; JPO;	
<b>i</b>			DERWENT;	
			IBM TDB	
-	989	(key near3 (token id or identi\$8)) with lock	USPAT;	2004/04/02 19:36
	·	, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
]			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	55	((key near3 (token id or identi\$8)) with lock) and (key with	USPAT;	2004/04/02 19:18
		(signal near3 transmit\$3) with lock)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	26	(((key near3 (token id or identi\$8)) with lock) and (key with	USPAT;	2004/04/02 19:19
ľ		(signal near3 transmit\$3) with lock)) and (lock with memory)	US-PGPUB:	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	27	(lock with memory) and stor\$3 and reciev\$3 and transmit\$3	USPAT;	2004/04/06 17:42
1			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
1.	1	((lock same memory) same manager) and stor\$3 and reciev\$3	USPAT;	2004/04/06 17:45
	, i	and transmit\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	l	IBM_TDB	
-	5	(lock same manager) and stor\$3 and reciev\$3 and transmit\$3	USPAT;	2004/04/06 17:48
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	39	(access\$3 same manager) and stor\$3 and reciev\$3 and	USPAT;	2004/04/06 17:48
		transmit\$3	US-PGPUB;	
[			EPO; JPO;	
			DERWENT;	
	4.5	(	IBM_TDB	0004/04/00 40 44
•	16	(access\$3 same manager) and lock and stor\$3 and reciev\$3	USPAT;	2004/04/06 18:11
		and transmit\$3	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	29	INTELLIKEY	USPAT:	2004/04/07 12:40
ĺ	[		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	



•	1303334	(broadcast\$3 carr\$4 communicat\$3 deliver\$3 (hand adj down) (hand adj on) (hand adj over) send (send adj forth) spread\$3 transfer\$3 transmit\$3 (turn\$3 adj over)) same ( message info token username id identity biometric record file data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 17:44
-	1313594	( relay\$3 broadcast\$3 carr\$4 communicat\$3 deliver\$3 (hand adj down) (hand adj on) (hand adj over) send (send adj forth) spread\$3 transfer\$3 transmit\$3 (turn\$3 adj over)) same ( message info token username id identity biometric record file	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/15 17:45
-	183645	data) ( relay\$3 broadcast\$3 carr\$4 communicat\$3 deliver\$3 (hand adj down) (hand adj on) (hand adj over) send (send adj forth) spread\$3 transfer\$3 transmit\$3 (turn\$3 adj over)) same ( message info token)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/15 17:45
-	183551	( relay\$3 broadcast\$3 carr\$4 communicat\$3 deliver\$3 send spread\$3 transfer\$3 transmit\$3) same ( message info token)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 17:51
-	2055	(lock) same (stor\$3 reciev\$3 writ\$3 record\$3) same (transmit\$3 transfer\$3 send\$3 broadcast\$3) same (access right)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/15 17:46
-	6163	(lock same key) same (memory stor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/15 17:52
-	3069	virus with spread\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 13:00
-	6	virus with spread\$3 same encryption	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:58
-	2054	(virus with spread\$3) and @ad <= "20000927"	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 12:59
-	87	(virus with spread\$3) same access\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 13:01
-	77	(virus with spread\$3) same access\$3 and computer	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 13:01
-	39	(virus with spread\$3) same access\$3 and computer and file	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/16 13:06
	39	((virus with spread\$3) same access\$3) and computer and file	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 15:21